



**SAFETY**  
WITHOUT COMPROMISE

**TREADSTONE**  
SAFETY

|         |   |
|---------|---|
| PRO-302 | PRO   |
| Aramid  |   |

## DATA SHEET

### Product Description

A superb glove for multi-hazard use where cut risk and heat combine. Seamless 13-gauge Aramid yarn often used as a glove liner worn underneath a more protective outer glove. Provides added cut resistance, improved contact heat resistance and even additional warmth where thermal cold resistance might be required. Excellent dexterity and full breathability. EN388:2016 Cut level E. EN 407 contact heat resistant up to 100°C.

### Key Features

Superb dry handling. Excellent abrasion resistance. Cut level E. 100°C contact heat rating. Improved heat resistance properties compared to standard HPPE fibres, providing enhanced degradation resistance at high temperatures. Spectrum-iD colour coding.

### Applications

Dry handling where enhanced cut and heat resistance are required, such as mechanical, engineering, manufacturing, automotive, metal parts handling, maintenance, construction, HVAC and assembly work. Ideal as an under-glove / liner glove.



### Product Information

Materials:

Coating – Plain glove, no coating. Knitted shell only

Liner – Seamless 13-gauge Aramid composite blended yarn

Wrist – Performance elasticated cuff



Cuff binding – Polyester

Size – Treadstone colour coded

Spectrum-iD – Green (high cut risk)

| Size | Code       | Case Quantity                    |
|------|------------|----------------------------------|
| 7    | PRO-302/07 |                                  |
| 8    | PRO-302/08 |                                  |
| 9    | PRO-302/09 | Colour inner box of 20 pairs     |
| 10   | PRO-302/10 |                                  |
| 11   | PRO-302/11 | Outer shipper 120 pairs/6 inners |

### Certification

|  |   |
|--|---|
| <br>1 2 3 4 A P<br>→ Impact protection (if applicable)<br>→ Cut resistance - EN ISO 13997 (A to F)<br>→ Puncture resistance (0 to 4)<br>→ Tear resistance (0 to 4)<br>→ Coupe test cut resistance (0 to 5; X = not applicable/not tested)<br>→ Abrasion resistance (0 to 4) | <br>A B C D E F<br>→ Large quantities of molten metal (X/1 to 4)<br>→ Small splashes of molten metal (X/1 to 4)<br>→ Radiant heat (X/1 to 4)<br>→ Convective heat (X/1 to 4)<br>→ Contact heat (X/1 to 4)<br>→ Burning behaviour (X/1 to 4)<br>X = NOT APPLICABLE / NOT TESTED |
|--|---|

**Certificate number:** LECFI00378710

**Notified Body:** ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK.

Notified Body number 0362

Tel: +44 (0)116 263 0330 / [www.intertek.com](http://www.intertek.com)

**PRO**  
**SERIES 300**

**302**

 **CUT E**

Treadstone Products, UK, LL13 9UZ  
[www.treadstoneproducts.com](http://www.treadstoneproducts.com)  
Batch No. XXX-XX

**SIZE**  
**8**

**CE**

 **2 X 4 3 E**

 **X1XXXX**



### About Treadstone

Who are we?

Treadstone Products is the European face of one of China's finest glove manufacturers - Jiangsu CLS Technology. Our glove portfolio is produced almost entirely in our own exceptional, modern yarn and coating facilities, alongside our superb research centre. Our current capacity is in excess of 1.2 billion pairs of gloves per annum. Our products are all made to the highest quality, meeting the latest EN and ANSI Standards. Our factory has ISO 9001 quality management, ISO 14001 Environmental Management, SA8000 Social Accountability and C-TPAT Management certificated systems in place.

Treadstone represents a new and dynamic, modern range of high quality safety products for discerning glove users and safety conscious employers across Europe. We're building a name and a brand that will be a beacon of trust, with a service and support system to match.

*Safety, without compromise.*

**Treadstone Products**  
Unit 36, Abenbury Way  
Wrexham Industrial Estate  
Wrexham  
LL13 9UZ

**Tel:** +44 (0)1978 664 667  
**Fax:** +44 (0)1978 664 634  
[treadstoneproducts.com](http://treadstoneproducts.com)  
[info@treadstoneproducts.com](mailto:info@treadstoneproducts.com)



For further  
information, user  
instructions or  
details of our full  
range, scan here:

