



SAFETY
WITHOUT COMPROMISE

TREADSTONE
SAFETY

PRO-303	PRO
Aramid	 

DATA SHEET

Product Description

A superb glove for multi-hazard use where cut risk and heat combine. Seamless I3-gauge Aramid yarn with split chrome palm, forefinger and thumb protection, providing added cut resistance, improved contact heat resistance and good grip where coated gloves often fail. Excellent dexterity and full breathability. EN388:2016 Cut level E. EN 407 contact heat resistant up to 100°C.

Key Features

Superb dry and oil contaminated handling (suitable under glove required). Excellent abrasion resistance. Cut level E. 100°C contact heat rating. Improved heat resistance properties compared to standard HPPE fibres, providing enhanced degradation resistance at high temperatures. Spectrum-iD colour coding.

Applications

Mostly dry handling where enhanced cut and heat resistance are required, such as mechanical, engineering, manufacturing, automotive, metal parts handling, maintenance, construction, HVAC and assembly work. Ideal as an under-glove / liner glove. Can be worn in oil contaminated environment with a chemical rated under-glove for added skin protection.





Product Information

Materials:
Coating – Split chrome leather palm, forefinger and thumb covered
Liner – Seamless I3-gauge Aramid composite blended yarn
Wrist – Performance elasticated cuff
Cuff binding – Polyester
Size – Treadstone colour coded
Spectrum-iD – Green (high cut risk)

Size	Code	Case Quantity
7	PRO-303/07	
8	PRO-303/08	Colour inner box of 20 pairs
9	PRO-303/09	
10	PRO-303/10	Outer shipper 120 pairs/6 inners
11	PRO-303/11	

Certification

 1 2 3 4 A P → Impact protection (if applicable) → Cut resistance - EN ISO 13997 (A to F) → Puncture resistance (0 to 4) → Tear resistance (0 to 4) → Coupe test cut resistance (0 to 5; X = not applicable/not tested) → Abrasion resistance (0 to 4)	 A B C D E F → Large quantities of molten metal (X/1 to 4) → Small splashes of molten metal (X/1 to 4) → Radiant heat (X/1 to 4) → Convective heat (X/1 to 4) → Contact heat (X/1 to 4) → Burning behaviour (X/1 to 4) X = NOT APPLICABLE / NOT TESTED
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Certificate number: LECFI00379164

Notified Body: ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, UK.

Notified Body number 0362

Tel: +44 (0) 116 263 0330 / www.intertek.com

About Treadstone

Who are we?

Treadstone Products is the European face of one of China's finest glove manufacturers - Jiangsu CLS Technology. Our glove portfolio is produced almost entirely in our own exceptional, modern yarn and coating facilities, alongside our superb research centre. Our current capacity is in excess of 1.2 billion pairs of gloves per annum. Our products are all made to the highest quality, meeting the latest EN and ANSI Standards. Our factory has ISO 9001 quality management, ISO 14001 Environmental Management, SA8000 Social Accountability and C-TPAT Management certificated systems in place.

Treadstone represents a new and dynamic, modern range of high quality safety products for discerning glove users and safety conscious employers across Europe. We're building a name and a brand that will be a beacon of trust, with a service and support system to match. *Safety, without compromise.*

Treadstone Products
Unit 36, Abenbury Way
Wrexham Industrial Estate
Wrexham
LL13 9UZ

Tel: +44 (0)1978 664 667
Fax: +44 (0)1978 664 634
treadstoneproducts.com
info@treadstoneproducts.com



For further information, user instructions or details of our full range, scan here:

